function in schizophrenia. Fall 517–525
**Degner D:** *See* **Kropp S**
**DeLuca V:** *See* **Bilginer L**
**de Vugt ME, Nicolson NA, Aalten P, Lousberg R, Jolle J, Verhey FRJ:** Behavioral problems in dementia patients and salivary cortisol patterns in caregivers. Spring 201–207
**Diaz-Marchan PJ:** *See* **Boake C**
**Diniz JB:** *See* **Mercadante MT**
**Docherty NM:** *See* **Cohen AS**
**Doraiswamy PM:** *See* **Petrella JR**
**Dorsey J:** *See* **Semion K**
**Drake A:** *See* **McLay RN**
**Duggal HS:** Cognitive affective psychosis syndrome in a patient with sporadic olivopontocerebellar atrophy (letter). Spring 260–262
**Duggal HS:** Idiopathic intracranial hypertension presenting with psychiatric symptoms (letter). Summer 426–427
**Eggleston C:** *See* **Bourgeois JA**
**Emrich HM:** *See* **Kropp S**
**Epstein J:** Cognition, Emotion, and Psychopathology: Theoretical, Empirical, and Clinical Directions, edited by Yiend J (book review). Spring 250–251
**Etkin A, Pittenger C, Polan HJ, Kandel ER:** Toward a neurobiology of psychotherapy: basic science and clinical applications. Spring 145–158
**Evrim Ö:** *See* **Mustafa B**
**Feingold A:** *See* **Boutros NN**
**Feinstein A:** *See* **Rapoport MJ**
**Feldman NT:** *See* **Schwartz JRL**
**Feldman P:** *See* **Silver H**
**Ferrando SJ:** *See* **Sampton JB**
**Ferrao Y:** *See* **Mercadante MT**
**Filley CM:** *See* **Anderson CA**
**Flanigan TP:** *See* **Paul R**
**Fraenkel L:** *See* **Boutros NN**
**Freedman R:** *See* **Davalos DB**
**Freeman T, Roca V, Guggenheim F, Kimbrell T, Griffin WST:** Neuropsychiatric associations of apolipoprotein E alleles in subjects with combat-related PTSD. Fall 541–543
**Gabbard GO:** *See* **Miller LA**
**Garau L:** *See* **Starkstein SE**
**Garcia-Rill E:** *See* **Bracha HS**
**Gauthier S:** *See* **Bhanji NH**
**Gilbert DL, Buncher CR:** Assessment of scientific and ethical issues in two randomized clinical trial designs for patients with Tourette's syndrome: a model for studies of multiple neuropsychiatric diagnoses. Summer 324–332
**Gilliam F:** *See* **Jones JE**
**Goldman D:** *See* **Lipsky RH**
**Goodman H:** *See* **Boake C**
**Grafman J:** *See* **Mah LWY**
**Griffin WST:** *See* **Freeman T**
**Guggenheim F:** *See* **Freeman T**
**Hajak G:** *See* **Kropp S**
**Hakko H:** *See* **Mainio A**
**Hanks C:** *See* **Lansing K**
**Hart SJ:** *See* **Petrella JR**
**Harvey PD:** *See* **Bilginer L**
**Haslinger BA:** *See* **von Giesen H-J**
**Hauser WA:** *See* **Chatterjee A**
**Heims H:** *See* **Mitchell IJ**
**Hellings JA, Nickel EJ, Weckbaugh M, McCarter K, Mosier M, Schroeder SR:** The Overt Aggression Scale for rating aggression in outpatient youth with autistic disorder: preliminary findings. Winter 29–35
**Hermann BP:** *See* **Jones JE**
**Higuchi H:** *See* **Kamata M**
**Hill E:** *See* **Tornatore JB**
**Hinkin C:** *See* **Paul R**
**Hoffman DA:** Tiagabine for rage, aggression, and anxiety (letter). Spring 252
**Hollander E, Kaplan A, Schmeidler J, Yang H, Li D, Koran LM, Barbato LM:** Neurological soft-signs as predictors of treatment response to selective serotonin reuptake inhibitors in OCD. Fall 472–477
**Hoth KF:** *See* **Paulsen JS**
**Hounie AG:** *See* **Mercadante MT**
**Huntington Study Group:** *See* **Paulsen JS**
**Hurley RA:** *See* **Black KJ; Mendez CV; Miller LA; Taber KH**
**Hurley RA, Taber K:** Functional Magnetic Resonance Imaging, by Huettel SA, Song AW, McCarthy G (book review). Summer 425
**Hutton S:** *See* **Bowden-Jones H**
**Janen B:** *See* **Anghelescu I**
**Jefferson AL:** *See* **Paul RH**
**Jha AP:** *See* **Petrella JR**
**Ji J:** *See* **Chen W**
**Jolle J:** *See* **de Vugt ME**
**Jones JE, Hermann BP, Barry JJ, Giliam F, Kanner AM, Meador KJ:** Clinical assessment of Axis I psychiatric comorbidity in chronic epilepsy: a multicenter investigation. Spring 172–179
**Joyce E:** *See* **Bowden-Jones H**
**Kahn RS:** *See* **Schutter DJLG**
**Kamata M, Higuchi H:** Peripheral circulatory disturbance induced by milnacipran (letter). Winter 126–127
**Kandel ER:** *See* **Etkin A**
**Kaneda Y, Ohmori T:** Relation between estradiol and negative symptoms in men with schizophrenia. Spring 239–242
**Kanfer S:** *See* **Weitzner MA**
**Kanner AM:** *See* **Jones JE**
**Kanz JE:** *See* **Paulsen JS**
**Kapeller P:** *See* **Staffen W**
**Kaplan A:** *See* **Hollander E**
**Karimi S:** *See* **Sampton JB**
**Kelly DL:** *See* **Shim J-C**
**Kern V:** *See* **Kropp S**
**Kimbrell T:** *See* **Freeman T**
**Kim T-S:** *See* **Pae C-U**
**Kim Y-H:** *See* **Shim J-C**
**Kisley MA:** *See* **Davalos DB**
**Kissel EC, Pukay-Martin ND, Bornstein RA:** The relationship between age and cognitive function in HIV-infected men. Spring 180–184
**Koester J:** *See* **Lemke MR**
**Koike AK:** *See* **Bourgeois JA**
**Koivukangas J:** *See* **Mainio A**
**Köller H:** *See* **von Giesen H-J**
**Kopelman M:** Comments on "Psychopathology in Neuropsychiatry: DSM and Beyond" (commentary). Summer 333–335
**Koppeschaar HPF:** *See* **Schutter DJLG**
**Koran LM:** *See* **Hollander E**
**Kornhuber J:** *See* **Kropp S**
**Kotler M:** *See* **Reznik I**
**Krahn LE:** *See* **Wall CA**
**Krahn LE, Lymp JF, Moore WR, Slocumb N, Silber MH:** Characterizing the emotions that trigger cataplexy. Winter 45–50
**Kraus JE, Sheitman BB:** Clozapine reduces violent behavior in heterogeneous diagnostic groups. Winter 36–44
**Kraus PH:** *See* **Lemke MR**
**Kropp S, Kern V, Lange K, Degner D, Hajak G, Kornhuber J, Rüther E, Emrich HM, Schneider U, Bleich S:** Oxidative stress during treatment with first- and second-generation antipsychotics. Spring 227–231
**Kunik ME:** *See* **Veazey C**
**Kutzelnigg A:** *See* **Staffen W**
**Laboff JA:** *See* **Tornatore JB**
**Ladurner G:** *See* **Staffen W**

**Lai EC:** *See* **Veazey C**
**Lammers C-H:** *See* **Anghelescu I**
**Landes AM, Sperry SD, Strauss ME:** Prevalence of apathy, dysphoria, and depression in relation to dementia severity in Alzheimer's disease. Summer 342–349
**Lange K:** *See* **Kropp S**
**Lansing K, Amen DG, Hanks C, Rudy L:** High resolution brain SPECT imaging and EMDR in police officers with PTSD. Fall 526–532
**Lassonde M:** *See* **Mendez CV**
**Lawrence J:** *See* **Paul R**
**Layne RD:** *See* **Rankin ED**
**Lee C:** *See* **Pae C-U**
**Lee J-G:** *See* **Shim J-C**
**Lemke MR, Brecht HM, Loester J, Kraus PH, Reichmann H:** Anhedonia, depression, and motor functioning in Parkinson's disease during treatment with pramipexole. Spring 214–220
**Levin HS:** *See* **Boake C**
**Li D:** *See* **Hollander E**
**Lipsky RH, Sparling MB, Ryan LM, Xu K, Salazar AM, Goldman D, Warden DL:** Association of COMT Val[158]Met genotype with executive functioning following traumatic brain injury. Fall 465–471
**López-Meza E, Ruiz-Chow A, Ramirez-Bermudez J:** Aripiprazole in psychosis associated with Parkinson's disease. Summer 421–422
**Lousberg R:** *See* **de Vugt ME**
**Lustig C:** *See* **Petrella JR**
**Lymp JF:** *See* **Krahn LE**
**Lynch K:** *See* **Anderson KE**
**Lysaker RH:** Reply to Reznik, Kotler, Weizman: Obsessive and compulsive symptoms in schizophrenia patients—from neuropsychology to clinical typology and classification (letter). Spring 255–256
**Mah LWY, Arnold MC, Grafman J:** Deficits in social knowledge following damage to ventromedial prefrontal cortex. Winter 66–74
**Mainio A, Hakko H, Niemelä A, Salo J, Koivukangas J, Räsänen P:** Level of obsessionality among neurosurgical patients with a primary brain tumor. Summer 399–404
**Mair A:** *See* **Staffen W**
**Malloy PF:** *See* **Paul RH**
**Marder KS:** *See* **Chatterjee A**
**McCarter K:** *See* **Hellings JA**
**McCauley SR:** *See* **Boake C**
**McCullagh S:** *See* **Rapoport MJ**
**McDowell B:** *See* **Paulsen JS**
**McGann ME:** *See* **Tornatore JB**
**McLay RN, Drake A, Rayner T:** Persisting dementia after isoniazid overdose (letter). Spring 256–257
**McPhillips M:** *See* **Bowden-Jones H**
**Meador KJ:** *See* **Jones JE**
**Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH:** Mild traumatic brain injury: neuroimaging of sports-related concussion (windows to the brain). Summer 297–303
**Mendez MF:** Hypergraphia for poetry in an epileptic patient (letter). Fall 560–561
**Mendez MF:** Moria and Witzelsücht from frontotemporal dementia (letter). Summer 429–430
**Mendez MF, Shapira JS:** Loss of insight and functional neuroimaging in frontotemporal dementia. Summer 413–416
**Mercadante MT, Diniz JB, Hounie AG, Ferrao Y, Alvarenga P, Brotto S, Miguel EC:** Obsessive-compulsive spectrum disorders in rheumatic fever patients. Fall 544–547
**Miguel EC:** *See* **Mercadante MT**
**Miller LA, Taber KH, Gabbard GO, Hurley RA:** Neural underpinnings of fear and its modulation: implications for anxiety disorders (windows to the brain). Winter 1–6
**Milovan D:** *See* **Roth RM**
**Mirolo HA:** *See* **Boutros N**
**Mitchell IJ, Heims H, Neville EA, Rickards H:** Huntington's disease patients show impaired perception of disgust in the gustatory and olfactory modalities. Winter 119–121
**Mizoguchi Y, Monji A:** Low-dose-trazodone–induced disorganized type psychosis (letter). Spring 253–254
**Moeller JR:** *See* **Anderson KE**
**Monji A:** *See* **Mizoguchi Y**
**Moore WR:** *See* **Krahn LE**
**Mosier M:** *See* **Hellings JA**
**Moskowitz CB:** *See* **Chatterjee A**
**Mrak RE:** *See* **Bracha HS**
**Müller-Forell W:** *See* **Anghelescu I**
**Mustafa B, Evrim Ö, Sari A:** Secondary mania following traumatic brain injury (letter). Winter 122–124
**Navia B:** *See* **Paul RH**
**Nehl C:** *See* **Paulsen JS**
**Neville EA:** *See* **Mitchell IJ**
**Nickel EJ:** *See* **Hellings JA**
**Nicolson NA:** *See* **de Vugt ME**
**Niederhofer H:** *See* **Staffen W**
**Niemelä A:** *See* **Mainio A**
**Norra C:** *See* **Prueter C**
**O'Connor K:** *See* **Roth RM**
**Ohmori T:** *See* **Kaneda Y**
**Olmez S:** *See* **Atbasoglu ECEM**
**Ostrander L:** *See* **van Reekum R**
**Ozguven HD:** *See* **Atbasoglu ECEM**
**Pae C-U, Kim T-S, Lee C, Paik I-H:** Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Fall 558–558
**Paik I-H:** *See* **Pae C-U**
**Pankratz VS:** *See* **Wall CA**
**Patterson MB:** *See* **Tractenberg RE**
**Paul R, Flanigan TP, Tashima K, Cohen R, Lawrence J, Alt E, Tate D, Ritchie C, Hinkin C:** Apathy correlates with cognitive function in patients with human immunodeficiency virus. Winter 114–118
**Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF, Jefferson AL, Cohen RA, Tate DF, Flanigan TP:** Apathy is associated with volume of the nucleus accumbens in patients infected with HIV. Spring 167–171
**Paulsen JS, Nehl C, Hoth KF, Kanz JE, Benjamin M, Conybeare R, McDowell B, Turner B, Huntington Study Group:** Depression and stages of Huntington's disease. Fall 496–502
**Pedroza C:** *See* **Boake C**
**Peper JS:** *See* **Schutter DJLG**
**Petrella JR, Townsend BA, Jha AP, Ziajko LA, Slavin MJ, Lustig C, Hart SJ, Koraiswamy PM:** Increasing memory load modulates regional brain activity in older adults as measured by fMRI. Winter 75–83
**Pies R:** Why psychiatry and neurology cannot simply merge (editorial). Summer 304–309
**Pittenger C:** *See* **Etkin A**
**Pogge DL:** *See* **Bilginer L**
**Polan HJ:** *See* **Etkin A**
**Pope LE:** *See* **Schiffer R**
**Prueter C, Norra C:** Mood disorders and their treatment in patients with epilepsy. Winter 20–28
**Pukay-Martin ND:** *See* **Kissel EC**
**Raffer E:** *See* **Staffen W**
**Raiteri V:** *See* **Sampton JB**
**Raja M, Azzoni A:** Tardive dyskinesia

after long-term veralipride treatment (letter). Spring 252–253
**Ramirez-Bermudez J:** *See* **López-Meza E**
**Rankin ED, Layne RD:** The use of olanzapine in the treatment of negative symptoms in Alzheimer's disease. Summer 423–424
**Rapoport MJ, McCullagh S, Shammi P, Feinstein A:** Cognitive impairment associated with major depression following mild and moderate traumatic brain injury. Winter 61–65
**Räsänen P:** *See* **Mainio A**
**Rayner T:** *See* **McLay RN**
**Reichmann H:** *See* **Lemke MR**
**Reznik I, Kotler M, Weizman A:** Obsessive and compulsive symptoms in schizophrenia patients—from neuropsychology to clinical typology and classification (letter). Spring 254–255
**Rickards H:** *See* **Mitchell IJ**
**Ritchie C:** *See* **Paul R**
**Robertson MM:** *See* **Shelley BP**
**Roca V:** *See* **Freeman T**
**Rogers R:** *See* **Bowden-Jones H**
**Rohe S:** *See* **von Giesen H-J**
**Roth RM, Milovan D, Baribeau J, O'Connor K:** Neuropsychological functioning in early- and late-onset obsessive-compulsive disorder. Spring 208–213
**Ru B:** *See* **Chen W**
**Rudy L:** *See* **Lansing K**
**Ruiz-Chow A:** *See* **López-Meza E**
**Rummans TA:** *See* **Wall CA**
**Rüther E:** *See* **Kropp S**
**Ryan LM:** *See* **Lipsky RH**
**Sachdev J:** *See* **Sachdev PS**
**Sachdev PS:** Whither neuropsychiatry? (editorial). Spring 140–144
**Sachdev PS, Sachdev J:** Long-term outcome of neurosurgery for the treatment of resistant depression. Fall 478–485
**Sackeim H:** *See* **Anderson KE**
**Saka MC:** *See* **Atbasoglu ECEM**
**Salazar AM:** *See* **Lipsky RH**
**Salo J:** *See* **Mainio A**
**Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW:** The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Fall 533–540
**Sanelli P:** *See* **Sampton JB**
**Sari A:** *See* **Mustafa B**
**Scarmeas N:** *See* **Anderson KE**
**Schiffer R, Pope LE:** Review of pseudobulbar affect including a novel and potential therapy. Fall 447–454
**Schindler F:** *See* **Anghelescu I**
**Schmeidler J:** *See* **Hollander E**
**Schneider U:** *See* **Kropp S**
**Schroeder SR:** *See* **Hellings JA**
**Schutter DJLG, Peper JS, Koppeschaar HPF, Kahn RS, van Honk J:** Administration of testosterone increases functional connectivity in a corticocortical depression circuit. Summer 372–377
**Schwartz JRL, Feldman NT, Bogan RK:** Dose effects of modafinil in sustaining wakefulness in narcolepsy patients with residual evening sleepiness. Summer 405–412
**Scicutella A:** *See* **Brar HK**
**Seaman JS:** Seeing catatonia (letter). Fall 558–559
**Semion K, Dorsey J, Bourgeois J:** Intravenous valproate use in bipolar II disorder after gastric bypass surgery (letter). Summer 427–429
**Shammi P:** *See* **Rapoport MJ**
**Shapira JS:** *See* **Mendez MF**
**Sheitman BB:** *See* **Kraus JE**
**Shelley BP, Robertson MM:** The neuropsychiatry and multisystem features of the Smith-Magenis syndrome: a review. Winter 91–97
**Shim J-C, Kim Y-H, Kelly DL, Lee J-G, Conley RR:** Tardive dyskinesia predicts prolactin response to buspirone challenge in people with schizophrenia. Spring 221–226
**Silber MH:** *See* **Krahn LE**
**Silver H, Feldman P:** Evidence for sustained attention and working memory in schizophrenia sharing a common mechanism. Summer 391–398
**Simmons JE:** *See* **Bourgeois JA**
**Skinner R:** *See* **Bracha HS**
**Slavin MJ:** *See* **Petrella JR**
**Slocumb N:** *See* **Krahn LE**
**Song JX:** *See* **Boake C**
**Sparling MB:** *See* **Lipsky RH**
**Sperry SD:** *See* **Landes AM**
**Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G:** Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Summer 357–363
**Stangl H:** *See* **Staffen W**
**Starkstein SE, Boller F, Garau L:** A two-year follow-up study of remote memory in Alzheimer's disease. Summer 336–341
**Stern Y:** *See* **Anderson KE**
**Stewart B, Brennan DM:** Auditory hallucinations after right temporal gyri resection. Spring 243–245
**Stokes JS:** *See* **Bilginer L**
**Strauss ME:** *See* **Landes AM**
**Strick PL:** *See* **Taber KH**
**Struve F:** *See* **Boutros N**
**Stuss DT:** *See* **van Reekum R**
**Taber KH:** *See* **Black KJ; Hurley RA; Mendez CV; Miller LA**
**Taber KH, Strick PL, Hurley RA:** Rabies and the cerebellum: new methods for tracing circuits in the brain (windows to the brain). Spring 133–138
**Tashima K:** *See* **Paul R**
**Tate D:** *See* **Paul R**
**Taylor MA, Vaidya NA:** Psychopathology in neuropsychiatry: DSM and beyond. Spring 246–249
**Telles S:** *See* **Bourgeois JA**
**Thal LJ:** *See* **Tractenberg RE**
**Tornatore JB, Hill E, Laboff JA, McGann ME:** Self-administered screening for mild cognitive impairment: initial validation of a computerized test battery. Winter 98–105
**Townsend BA:** *See* **Petrella JR**
**Tractenberg RE, Weiner MF, Cummings JL, Patterson MB, Thal LJ:** Independence of changes in behavior from cognition and function in community-dwelling persons with Alzheimer's disease: a factor analytic approach. Winter 51–60
**Turner B:** *See* **Paulsen JS**
**Vaddigiri V:** *See* **Brar HK**
**Vaidya NA:** *See* **Taylor MA**
**Van Heertum R:** *See* **Anderson KE**
**van Honk J:** *See* **Schutter DJLG**
**van Reekum R, Stuss DT, Ostrander L:** Apathy: why care? Winter 7–19
**Veazey C, Aki SOE, Cook KF, Lai EC, Kunik ME:** Prevalence and treatment of depression in Parkinson's disease. Summer 310–323
**Verhey FRJ:** *See* **de Vugt ME**
**von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G:** HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. Spring 185–191
**Wall CA, Rummans TA, Aksamit AJ, Krahn LE, Pankratz VS:** Psychiatric manifestations of Creutzfeldt-Jakob

disease: a 25-year analysis. Fall 489–495
**Warden DL:** *See* **Lipsky RH**
**Weckbaugh M:** *See* **Hellings JA**
**Weiner MF:** *See* **Tractenberg RE**
**Weitzner MA, Kanfer S, Booth-Jones M:** Apathy and pituitary disease: it has nothing to do with depression. Spring 159–166
**Weizman A:** *See* **Reznik I**
**Wilson MS:** Frovatriptan-induced hypomania (letter). Summer 430–431
**Xu K:** *See* **Lipsky RH**
**Yang H:** *See* **Hollander E**
**Zarahn E:** *See* **Anderson KE**
**Zauner H:** *See* **Staffen W**
**Zhang L:** *See* **Mendez CV**
**Ziajko LA:** *See* **Petrella JR**

# Subject Index

**Adverse Drug Effects**
Emergent complications following donepezil switchover to galantamine in three cases of dementia with Lewy bodies. Bhanji NH, Gauthier S. Fall 552–555
Frovatriptan-induced hypomania (letter). Wilson MS. Summer 430–431
Low-dose-trazodone–induced disorganized type psychosis (letter). Mizoguchi Y, Monji A. Spring 253–254
Oxidative stress during treatment with first- and second-generation antipsychotics. Kropp S, Kern V, Lange K, Degner D, Hajak G, Kornhuber J, Rüther E, Emrich HM, Schneider U, Bleich S. Spring 227–231
Peripheral circulatory disturbance induced by milnacipran (letter). Kamata M, Higuchi H. Winter 126–127
Persisting dementia after isoniazid overdose (letter). McLay RN, Drake A, Rayner T. Spring 256–257
Tardive dyskinesia after long-term veralipride treatment (letter). Raja M, Azzoni A. Spring 252–253
Tardive dyskinesia predicts prolactin response to buspirone challenge in people with schizophrenia. Shim J-C, Kim Y-H, Kelly DL, Lee J-G, Conley RR. Spring 221–226
Worsening of borderline symptoms under reboxetine treatment (letter). Anghelescu I, Janen B, Schindler F, Lammers C-H. Fall 559–560
**Affect**
Cognitive affective psychosis syndrome in a patient with sporadic olivopontocerebellar atrophy (letter). Duggel, HS. Spring 260–262
Review of pseudobulbar affect including a novel and potential therapy. Schiffer R, Pope LE. Fall 447–454
**Age and Aging**
The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW. Fall 533–540
$H_2\,^{15}O$ PET study of impairment of nonverbal recognition with normal aging. Anderson KE, Lynch K, Zarahn E, Scarmeas N, Van Heertum R, Sackeim H, Moeller JR, Stern Y. Spring 192–200
Increasing memory load modulates regional brain activity in older adults as measured by fMRI. Petrella JR, Townsend BA, Jha AP, Ziajko LA, Slavin MJ, Lustig C, Hart SJ, Doraiswamy PM. Winter 75–83
The relationship between age and cognitive function in HIV-infected men. Kissel EC, Pukay-Martin ND, Bornstein RA. Spring 180–184
**Aggression and Agitation**
Adjunctive valproic acid for delirium and/or agitation on a consultation-liaison service: a report of six cases. Bourgeois JA, Koike AK, Simmons JE, Telles S, Eggleston C. Spring 232–238
Clozapine reduces violent behavior in heterogeneous diagnostic groups. Kraus JE, Sheitman BB. Winter 36–44
Cranial electrotherapy stimulation reduces aggression in a violent retarded population: a preliminary report. Childs A. Fall 548–551
The Overt Aggression Scale for rating aggression in outpatient youth with autistic disorder: preliminary findings. Hellings JA, Nickel EJ, Weckbaugh M, McCarter K, Mosier M, Schroeder SR. Winter 29–35
Tiagabine for rage, aggression, and anxiety (letter). Hoffman DA. Spring 252
**Alcohol Dependency**
Risk-taking on tests sensitive to ventromedial prefrontal cortex dysfunction predicts early relapse in alcohol dependency: a pilot study. Bowden-Jones H, McPhillips M, Rogers R, Hutton S, Joyce E. Summer 417–420
**Alzheimer's Disease**
Apathy: why care? van Reeckum R, Stuss DT, Ostrander L. Winter 7–19
Independence of changes in behavior from cognition and function in community-dwelling persons with Alzheimer's disease: a factor analytic approach. Tractenberg RE, Weiner MF, Cummings JL, Patterson MB, Thal LJ. Winter 51–60
Prevalence of apathy, dysphoria, and depression in relation to dementia severity in Alzheimer's disease. Landes AM, Sperry SD, Strauss ME. Summer 342–349
A two-year follow-up study of remote memory in Alzheimer's disease. Starkstein SE, Boller F, Garau L. Summer 336–341
The use of olanzapine in the treatment of negative symptoms in Alzheimer's disease. Rankin ED, Layne RD. Summer 423–424
**American Neuropsychiatric Association (ANPA)**
Abstracts presented at the Sixteenth Annual Meeting, 2005. Spring 264–288
**Anhedonia**
Anhedonia, depression, and motor functioning in Parkinson's disease during treatment with pramipexole. Lemke MR, Brecht HM, Koester J, Kraus PH, Reichmann H. Spring 214–220
**Antidepressants**
Low-dose-trazodone–induced disorganized type psychosis (letter). Mizoguchi Y, Monji A. Spring 253–254
Neurological soft-signs as predictors of treatment response to selective serotonin reuptake inhibitors in OCD. Hollander E, Kaplan A, Schmeidler J,

Yang H, Li D, Koran LM, Barbato LM. Fall 472–477
Peripheral circulatory disturbance induced by milnacipran (letter). Kamata M, Higuchi H. Winter 126–127
Prevalence and treatment of depression in Parkinson's disease. Veazey C, Aki SOE, Cook KF, Lai EC, Kunik ME. Summer 310–323
Worsening of borderline symptoms under reboxetine treatment (letter). Anghelescu I, Janen B, Schindler F, Lammers C-H. Fall 559–560

**Antipsychotics**

Aripiprazole in psychosis associated with Parkinson's disease; López-Meza E, Ruiz-Chow A, Ramirez-Bermudez J. Summer 421–422
Clozapine reduces violent behavior in heterogeneous diagnostic groups. Kraus JE, Sheitman BB. Winter 36–44
Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Fall 558–558
Oxidative stress during treatment with first- and second-generation antipsychotics. Kropp S, Kern V, Lange K, Degner D, Hajak G, Kornhuber J, Rüther E, Emrich HM, Schneider U, Bleich S. Spring 227–231
The use of olanzapine in the treatment of negative symptoms in Alzheimer's disease. Rankin ED, Layne RD. Summer 423–424

**Anxiety**

Anxiety-induced tremors in a 13½-year-old female with idiopathic Parkinson's disease (letter). Dattilio FM. Spring 257–259
Clinical assessment of Axis I psychiatric morbidity in chronic epilepsy: a multicenter investigation. Jones JE, Hermann BP, Barry JJ, Gilliam F, Kanner AM, Meadoe KJ. Spring 172–179
High resolution brain SPECT imaging and EMDR in police officers with PTSD. Lansing K, Amen DG, Hanks C, Rudy L. Fall 526–532
Neural underpinnings of fear and its modulation: implications for anxiety disorders (windows to the brain). Miller LA, Taber KH, Gabbard GO, Hurley RA. Winter 1–6
Neurological soft-signs as predictors of treatment response to selective serotonin reuptake inhibitors in OCD. Hollander E, Kaplan A, Schmeidler J, Yang H, Li D, Koran LM, Barbato LM. Fall 472–477
Neuropsychological functioning in early- and late-onset obsessive-compulsive disorder. Roth RM, Milovan D, Baribeau J, O'Connor K. Spring 208–213
Obsessive-compulsive spectrum disorders in rheumatic fever patients. Mercadante MT, Diniz JB, Hounie AG, Ferrao Y, Alvarenga P, Brotto S, Miguel EC. Fall 544–547
Postmortem locus coeruleus neuron count in three American veterans with probable or possible war-related PTSD. Bracha HS, Garcia-Rill E, Mrak RE, Skinner R. Fall 503–509
Tiagabine for rage, aggression, and anxiety (letter). Hoffman DA. Spring 252

**Apathy**

Apathy: why care? van Reeckum R, Stuss DT, Ostrander L. Winter 7–19
Apathy and pituitary disease: it has nothing to do with depression. Weitzner MA, Kanfer S, Booth-Jones M. Spring 159–166
Apathy correlates with cognitive function but not CD4 status in patients with human immunodeficiency virus. Paul R, Flanigan TP, Tashima K, Cohen R, Lawrence J, Alt E, Tate D, Ritchie C, Hinkin C. Winter 114–118
Apathy is associated with volume of the nucleus accumbens in patients infected with HIV. Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF, Jefferson AL, Cohen RA, Tate DF, Flanigan TP. Spring 167–171
A comparison of self-report and caregiver assessment of depression, apathy, and irritability in Huntington's disease. Chatterjee A, Anderson KE, Moskowitz CB, Hauser WA, Marder KS. Summer 378–383
Prevalence of apathy, dysphoria, and depression in relation to dementia severity in Alzheimer's disease. Landes AM, Sperry SD, Strauss ME. Summer 342–349

**Aripiprazole**

Aripiprazole in psychosis associated with Parkinson's disease; López-Meza E, Ruiz-Chow A, Ramirez-Bermudez J. Summer 421–422
Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Fall 558–558

**Assessment Instruments**

A comparison of self-report and caregiver assessment of depression, apathy, and irritability in Huntington's disease. Chatterjee A, Anderson KE, Moskowitz CB, Hauser WA, Marder KS. Summer 378–383
HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191
The Overt Aggression Scale for rating aggression in outpatient youth with autistic disorder: preliminary findings. Hellings JA, Nickel EJ, Weckbaugh M, McCarter K, Mosier M, Schroeder SR. Winter 29–35
Self-administered screening for mild cognitive impairment: initial validation of a computerized test battery. Tornatore JB, Hill E, Laboff JA, McGann ME. Winter 98–105

**Attention**

Evidence for sustained attention and working memory in schizophrenia sharing a common mechanism. Silver H, Feldman P. Summer 391–398

**Autistic Disorder**

The Overt Aggression Scale for rating aggression in outpatient youth with autistic disorder: preliminary findings. Hellings JA, Nickel EJ, Weckbaugh M, McCarter K, Mosier M, Schroeder SR. Winter 29–35

**Behavior**

Adjunctive valproic acid for delirium and/or agitation on a consultation-liaison service: a report of six cases. Bourgeois JA, Koike AK, Simmons JE, Telles S, Eggleston C. Spring 232–238
Behavioral and electrophysiological indices of temporal processing dysfunction in schizophrenia. Davalos DB, Kisley MA, Freedman R. Fall 517–525
Behavioral problems in dementia patients and salivary cortisol patterns in caregivers. de Vugt ME, Nicolson NA, Aalten P, Lousberg R, Jolle J, Verhey FRJ. Spring 201–207
Clozapine reduces violent behavior in

heterogeneous diagnostic groups. Kraus JE, Sheitman BB. Winter 36–44
Cranial electrotherapy stimulation reduces aggression in a violent retarded population: a preliminary report. Childs A. Fall 548–551
Deficits in social knowledge following damage to ventromedial prefrontal cortex. Mah LWY, Arnold MC, Grafman J. Winter 66–74
Independence of changes in behavior from cognition and function in community-dwelling persons with Alzheimer's disease: a factor analytic approach. Tractenberg RE, Weiner MF, Cummings JL, Patterson MB, Thal LJ. Winter 51–60
The Overt Aggression Scale for rating aggression in outpatient youth with autistic disorder: preliminary findings. Hellings JA, Nickel EJ, Weckbaugh M, McCarter K, Mosier M, Schroeder SR. Winter 29–35
Tiagabine for rage, aggression, and anxiety (letter). Hoffman DA. Spring 252

**Bipolar Disorder**
Intravenous valproate use in bipolar II disorder after gastric bypass surgery (letter). Semion K, Dorsey J, Bourgeois J. Summer 427–429

**Books Reviewed**
Charney DS, Nestler EJ, eds: The Neurobiology of Mental Illness. Chatterjee A. Fall 556–557
Huettel SA, Song AW, McCarthy G: Functional Magnetic Resonance Imaging. Hurley RA, Taber K. Summer 425
Yiend J, ed: Cognition, Emotion, and Psychopathology: Theoretical, Empirical, and Clinical Directions. Epstein J. Spring 250–251

**Brain Imaging.** *See also specific imaging modalities*
Blood flow imaging of the brain: 50 years experience (windows to the brain). Black KJ, Taber KH, Hurley RA. Fall 441–446
The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW. Fall 533–540
$H_2$ $^{15}O$ PET study of impairment of nonverbal recognition with normal aging. Anderson KE, Lynch K, Zarahn E, Scarmeas N, Van Heertum R, Sackeim H, Moeller JR, Stern Y. Spring 192–200
High resolution brain SPECT imaging and EMDR in police officers with PTSD. Lansing K, Amen DG, Hanks C, Rudy L. Fall 526–532
Increasing memory load modulates regional brain activity in older adults as measured by fMRI. Petrella JR, Townsend BA, Jha AP, Ziajko LA, Slavin MJ, Lustig C, Hart SJ, Doraiswamy PM. Winter 75–83
Loss of insight and functional neuroimaging in frontotemporal dementia. Mendez MF, Shapira JS. Summer 413–416
Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G. Summer 357–363
Mild traumatic brain injury: neuroimaging of sports-related concussion (windows to the brain). Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH. Summer 297–303
Neural underpinnings of fear and its modulation: implications for anxiety disorders (windows to the brain). Miller LA, Taber KH, Gabbard GO, Hurley RA. Winter 1–6
Neuropsychological functioning in early- and late-onset obsessive-compulsive disorder. Roth RM, Milovan D, Baribeau J, O'Connor K. Spring 208–213
Rabies and the cerebellum: new methods for tracing circuits in the brain (windows to the brain). Taber KH, Strick PL, Hurley RA. Spring 133–138
Toward a biology of psychotherapy: basic science and clinical applications. Etkin A, Pittenger C, Polan HJ, Kandel ER. Spring 145–158

**Brain Injury.** *See* **Traumatic Brain Injury**

**Brain Tumor**
Level of obsessionality among neurosurgical patients with a primary brain tumor. Mainio A, Hakko H, Niemelä A, Salo J, Koivukangas J, Räsänen P. Summer 399–404

**Buspirone**
Tardive dyskinesia predicts prolactin response to buspirone challenge in people with schizophrenia. Shim J-C, Kim Y-H, Kelly DL, Lee J-G, Conley RR. Spring 221–226

**Caregivers**
Behavioral problems in dementia patients and salivary cortisol patterns in caregivers. de Vugt ME, Nicolson NA, Aalten P, Lousberg R, Jolle J, Verhey FRJ. Spring 201–207
A comparison of self-report and caregiver assessment of depression, apathy, and irritability in Huntington's disease. Chatterjee A, Anderson KE, Moskowitz CB, Hauser WA, Marder KS. Summer 378–383

**Cataplexy**
Characterizing the emotions that trigger cataplexy. Krahn LE, Lymp JF, Moore WR, Slocumb N, Silber MH. Winter 45–50

**Catatonia**
Seeing catatonia (letter). Seaman JS. Fall 558–559

**Catechol-O-Methyltransferase (COMT)**
Association of COMT Val[158]Met genotype with executive functioning following traumatic brain injury. Lipsky RH, Sparling MB, Ryan LM, Xu K, Salazar AM, Goldman D, Warden DL. Fall 465–471

**Cerebellum**
Cognitive affective psychosis syndrome in a patient with sporadic olivopontocerebellar atrophy (letter). Duggal HS. Spring 260–262
Rabies and the cerebellum: new methods for tracing circuits in the brain (windows to the brain). Taber KH, Strick PL, Hurley RA. Spring 133–138

**Cerebral Blood Flow**
Blood flow imaging of the brain: 50 years experience (windows to the brain). Black KJ, Taber KH, Hurley RA. Fall 441–446
Neural underpinnings of fear and its modulation: implications for anxiety disorders (windows to the brain). Miller LA, Taber KH, Gabbard GO, Hurley RA. Winter 1–6

**Clinical Trials**
Assessment of scientific and ethical issues in two randomized clinical trial designs for patients with Tourette's syndrome: a model for studies of multiple neuropsychiatric diagnoses.

Gilbert DL, Buncher CR. Summer 324–332

**Clozapine**

Clozapine reduces violent behavior in heterogeneous diagnostic groups. Kraus JE, Sheitman BB. Winter 36–44

**Cognitive Deficits**

Adjunctive valproic acid for delirium and/or agitation on a consultation-liaison service: a report of six cases. Bourgeois JA, Koike AK, Simmons JE, Telles S, Eggleston C. Spring 232–238

Apathy: why care? van Reeckum R, Stuss DT, Ostrander L. Winter 7–19

Apathy and pituitary disease: it has nothing to do with depression. Weitzner MA, Kanfer S, Booth-Jones M. Spring 159–166

Apathy correlates with cognitive function but not CD4 status in patients with human immunodeficiency virus. Paul R, Flanigan TP, Tashima K, Cohen R, Lawrence J, Alt E, Tate D, Ritchie C, Hinkin C. Winter 114–118

Behavioral and electrophysiological indices of temporal processing dysfunction in schizophrenia. Davalos DB, Kisley MA, Freedman R. Fall 517–525

Cognitive affective psychosis syndrome in a patient with sporadic olivopontocerebellar atrophy (letter). Duggal HS. Spring 260–262

Cognitive impairment associated with major depression following mild and moderate traumatic brain injury. Rapoport MJ, McCullagh S, Shammi P, Feinstein A. Winter 61–65

$H_2$ $^{15}O$ PET study of impairment of nonverbal recognition with normal aging. Anderson KE, Lynch K, Zarahn E, Scarmeas N, Van Heertum R, Sackeim H, Moeller JR, Stern Y. Spring 192–200

HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191

Huntington's disease patients show impaired perception of disgust in the gustatory and olfactory modalities. Mitchell IJ, Heims H, Neville EA, Rickards H. Winter 119–121

Of illusions, hallucinations, and Creutzfeldt-Jakob disease (Heidenhain's variant) (letter). Brar HK, Vaddigiri V, Scicutella A. Winter 124–126

Independence of changes in behavior from cognition and function in community-dwelling persons with Alzheimer's disease: a factor analytic approach. Tractenberg RE, Weiner MF, Cummings JL, Patterson MB, Thal LJ. Winter 51–60

Intellectual functioning in adolescents with indicators of psychosis: evidence for decline in functioning related to number of psychotic features? Bilginer L, DeLuca V, Pogge DL, Stokes JS, Harvey PD. Winter 106–113

Loss of insight and functional neuroimaging in frontotemporal dementia. Mendez MF, Shapira JS. Summer 413–416

Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G. Summer 357–363

Persisting dementia after isoniazid overdose (letter). McLay RN, Drake A, Rayner T. Spring 256–257

The relationship between age and cognitive function in HIV-infected men. Kissel EC, Pukay-Martin ND, Bornstein RA. Spring 180–184

Self-administered screening for mild cognitive impairment: initial validation of a computerized test battery. Tornatore JB, Hill E, Laboff JA, McGann ME. Winter 98–105

A two-year follow-up study of remote memory in Alzheimer's disease. Starkstein SE, Boller F, Garau L. Summer 336–341

The use of olanzapine in the treatment of negative symptoms in Alzheimer's disease. Rankin ED, Layne RD. Summer 423–424

**Cognitive Enhancers**

Emergent complications following donepezil switchover to galantamine in three cases of dementia with Lewy bodies. Bhanji NH, Gauthier S. Fall 552–555

**Computer-Administered Neuropsychological Screen for Mild Cognitive Impairment**

Self-administered screening for mild cognitive impairment: initial validation of a computerized test battery. Tornatore JB, Hill E, Laboff JA, McGann ME. Winter 98–105

**Conversion Disorder**

Acute disseminated encephalomyelitis presenting as conversion disorder (letter). Abay E, Balci K, Ates I. Spring 259–260

**Corticobasal Degeneration**

Proteomic analysis of corticobasal degeneration: a case study of corticobasal degeneration at the proteome level. Chen W, Ji J, Ru B. Summer 364–371

**Cortisol**

Behavioral problems in dementia patients and salivary cortisol patterns in caregivers. de Vugt ME, Nicolson NA, Aalten P, Lousberg R, Jolle J, Verhey FRJ. Spring 201–207

**Creutzfeldt-Jakob Disease**

Of illusions, hallucinations, and Creutzfeldt-Jakob disease (Heidenhain's variant) (letter). Brar HK, Vaddigiri V, Scicutella A. Winter 124–126

Psychiatric manifestations of Creutzfeldt-Jakob disease: a 25-year analysis. Wall CA, Rummans TA, Aksamit A, Krahn LE, Pankratz VS. Fall 489–495

**Delirium**

Adjunctive valproic acid for delirium and/or agitation on a consultation-liaison service: a report of six cases. Bourgeois JA, Koike AK, Simmons JE, Telles S, Eggleston C. Spring 232–238

**Dementia**

Apathy: why care? van Reeckum R, Stuss DT, Ostrander L. Winter 7–19

Behavioral problems in dementia patients and salivary cortisol patterns in caregivers. de Vugt ME, Nicolson NA, Aalten P, Lousberg R, Jolle J, Verhey FRJ. Spring 201–207

Emergent complications following donepezil switchover to galantamine in three cases of dementia with Lewy bodies. Bhanji NH, Gauthier S. Fall 552–555

HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191

Independence of changes in behavior from cognition and function in community-dwelling persons with Alz-

heimer's disease: a factor analytic approach. Tractenberg RE, Weiner MF, Cummings JL, Patterson MB, Thal LJ. Winter 51–60
Loss of insight and functional neuroimaging in frontotemporal dementia. Mendez MF, Shapira JS. Summer 413–416
Moria and Witzelsücht from frontotemporal dementia (letter). Mendez MF. Summer 429–430
Persisting dementia after isoniazid overdose (letter). McLay RN, Drake A, Rayner T. Spring 256–257
Prevalence of apathy, dysphoria, and depression in relation to dementia severity in Alzheimer's disease. Landes AM, Sperry SD, Strauss ME. Summer 342–349
A two-year follow-up study of remote memory in Alzheimer's disease. Starkstein SE, Boller F, Garau L. Summer 336–341
The use of olanzapine in the treatment of negative symptoms in Alzheimer's disease. Rankin ED, Layne RD. Summer 423–424

**Depression**

Administration of testosterone increases functional connectivity in a corticocortical depression circuit. Schutter DJLG, Peper JS, Koppeschaar HPF, Kahn RS, van Honk J. Summer 372–377
Anhedonia, depression, and motor functioning in Parkinson's disease during treatment with pramipexole. Lemke MR, Brecht HM, Koester J, Kraus PH, Reichmann H. Spring 214–220
Apathy: why care? van Reeckum R, Stuss DT, Ostrander L. Winter 7–19
Apathy and pituitary disease: it has nothing to do with depression. Weitzner MA, Kanfer S, Booth-Jones M. Spring 159–166
Bilateral exophthalmos and depression: not always endocrine ophthalmopathy (letter). Anghelescu I, Müller-Forell W. Summer 427
Clinical assessment of Axis I psychiatric morbidity in chronic epilepsy: a multicenter investigation. Jones JE, Hermann BP, Barry JJ, Gilliam F, Kanner AM, Meadoe KJ. Spring 172–179
Cognitive impairment associated with major depression following mild and moderate traumatic brain injury. Rapoport MJ, McCullagh S, Shammi P, Feinstein A. Winter 61–65
A comparison of self-report and caregiver assessment of depression, apathy, and irritability in Huntington's disease. Chatterjee A, Anderson KE, Moskowitz CB, Hauser WA, Marder KS. Summer 378–383
Depression and stages of Huntington's disease. Paulsen JS, Nehl C, Hoth KF, Kanz JE, Benjamin M, Conybeare R, McDowell B, Turner B, Huntington Study Group. Fall 496–502
Long-term outcome of neurosurgery for the treatment of resistant depression. Sachdev PS, Sachdev J. Fall 478–485
Mood disorders and their treatment in patients with epilepsy. Prueter C, Norra C. Winter 20–28
Prevalence and treatment of depression in Parkinson's disease. Veazey C, Aki SOE, Cook KF, Lai EC, Kunik ME. Summer 310–323
Prevalence of apathy, dysphoria, and depression in relation to dementia severity in Alzheimer's disease. Landes AM, Sperry SD, Strauss ME. Summer 342–349

**Developmental Disabilities**

Cranial electrotherapy stimulation reduces aggression in a violent retarded population: a preliminary report. Childs A. Fall 548–551
The neuropsychiatry and multisystem features of the Smith-Magenis syndrome: a review. Shelley BP, Robertson MM. Winter 91–97
The Overt Aggression Scale for rating aggression in outpatient youth with autistic disorder: preliminary findings. Hellings JA, Nickel EJ, Weckbaugh M, McCarter K, Mosier M, Schroeder SR. Winter 29–35

**Diagnosis.** *See also* **Neuropsychological Testing**

The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW. Fall 533–540
Diagnostic criteria for postconcussional syndrome after mild to moderate traumatic brain injury. Boake C, McCauley SR, Levin HS, Pedroza C, Contant CF, Song JX, Brown SA, Goodman H, Brundage SI, Diaz-Marchan PJ. Summer 350–356
A four-step approach for developing diagnostic tests in psychiatry. Boutros NN, Fraenkel L, Feingold A. Fall 455–464
HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191
Psychopathology in neuropsychiatry: DSM and beyond. Taylor MA, Vaidya NA. Spring 246–249
Self-administered screening for mild cognitive impairment: initial validation of a computerized test battery. Tornatore JB, Hill E, Laboff JA, McGann ME. Winter 98–105

**Donepezil**

Emergent complications following donepezil switchover to galantamine in three cases of dementia with Lewy bodies. Bhanji NH, Gauthier S. Fall 552–555

**Electroconvulsive Therapy**

Prevalence and treatment of depression in Parkinson's disease. Veazey C, Aki SOE, Cook KF, Lai EC, Kunik ME. Summer 310–323

**Electroencephalography (EEG)**

Mild traumatic brain injury: neuroimaging of sports-related concussion (windows to the brain). Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH. Summer 297–303
Normative data for the unquantified EEG: examination of adequacy for neuropsychiatric research. Boutros N, Mirolo HA, Struve F. Winter 84–90

**Electrotherapy Stimulation**

Cranial electrotherapy stimulation reduces aggression in a violent retarded population: a preliminary report. Childs A. Fall 548–551

**Emotional State**

Apathy: why care? van Reeckum R, Stuss DT, Ostrander L. Winter 7–19
Apathy and pituitary disease: it has nothing to do with depression. Weitzner MA, Kanfer S, Booth-Jones M. Spring 159–166
Apathy correlates with cognitive function but not CD4 status in patients with human immunodeficiency virus. Paul R, Flanigan TP, Tashima K, Cohen R, Lawrence J, Alt E, Tate D, Ritchie C, Hinkin C. Winter 114–118
Apathy is associated with volume of the

nucleus accumbens in patients infected with HIV. Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF, Jefferson AL, Cohen RA, Tate DF, Flanigan TP. Spring 167–171
Characterizing the emotions that trigger cataplexy. Krahn LE, Lymp JF, Moore WR, Slocumb N, Silber MH. Winter 45–50

**Endocrinology**
Administration of testosterone increases functional connectivity in a corticocortical depression circuit. Schutter DJLG, Peper JS, Koppeschaar HPF, Kahn RS, van Honk J. Summer 372–377
Behavioral problems in dementia patients and salivary cortisol patterns in caregivers. de Vugt ME, Nicolson NA, Aalten P, Lousberg R, Jolle J, Verhey FRJ. Spring 201–207
Bilateral exophthalmos and depression: not always endocrine ophthalmopathy (letter). Anghelescu I, Müller-Forell W. Summer 427
Relation between estradiol and negative symptoms in men with schizophrenia. Kaneda Y, Ohmori T. Spring 239–242
Tardive dyskinesia predicts prolactin response to buspirone challenge in people with schizophrenia. Shim J-C, Kim Y-H, Kelly DL, Lee J-G, Conley RR. Spring 221–226

**Epilepsy**
Clinical assessment of Axis I psychiatric morbidity in chronic epilepsy: a multicenter investigation. Jones JE, Hermann BP, Barry JJ, Gilliam F, Kanner AM, Meadoe KJ. Spring 172–179
Hypergraphia for poetry in a epileptic patient (letter). Mendez MF. Fall 560–561
Mood disorders and their treatment in patients with epilepsy. Prueter C, Norra C. Winter 20–28
Normative data for the unquantified EEG: examination of adequacy for neuropsychiatric research. Boutros N, Mirolo HA, Struve F. Winter 84–90

**Ethics**
Assessment of scientific and ethical issues in two randomized clinical trial designs for patients with Tourette's syndrome: a model for studies of multiple neuropsychiatric diagnoses. Gilbert DL, Buncher CR. Summer 324–332

**Executive Function**
Relative sparing of executive functions in the early phase of schizophrenia. Atbasoglu ECEM, Ozguven HD, Saka MC, Olmez S. Fall 510–516
Association of COMT Val[158]Met genotype with executive functioning following traumatic brain injury. Lipsky RH, Sparling MB, Ryan LM, Xu K, Salazar AM, Goldman D, Warden DL. Fall 465–471

**Exophthalmos**
Bilateral exophthalmos and depression: not always endocrine ophthalmopathy (letter). Anghelescu I, Müller-Forell W. Summer 427

**Eye Movement Desensitization and Reprocessing (EMDR)**
High resolution brain SPECT imaging and EMDR in police officers with PTSD. Lansing K, Amen DG, Hanks C, Rudy L. Fall 526–532

**Frontal Lobe**
Deficits in social knowledge following damage to ventromedial prefrontal cortex. Mah LWY, Arnold MC, Grafman J. Winter 66–74
Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G. Summer 357–363

**Frovatriptan**
Frovatriptan-induced hypomania (letter). Wilson MS. Summer 430–431

**Functional Status**
The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW. Fall 533–540
Independence of changes in behavior from cognition and function in community-dwelling persons with Alzheimer's disease: a factor analytic approach. Tractenberg RE, Weiner MF, Cummings JL, Patterson MB, Thal LJ. Winter 51–60
Neuropsychological functioning in early- and late-onset obsessive-compulsive disorder. Roth RM, Milovan D, Baribeau J, O'Connor K. Spring 208–213

**Galantamine**
Emergent complications following donepezil switchover to galantamine in three cases of dementia with Lewy bodies. Bhanji NH, Gauthier S. Fall 552–555

**Genetics**
Neuropsychiatric associations of apolipoprotein E alleles in subjects with combat-related PTSD. Freeman T, Roca V, Guggenheim F, Kimbrell T, Griffin WST. Fall 541–543
Association of COMT Val[158]Met genotype with executive functioning following traumatic brain injury. Lipsky RH, Sparling MB, Ryan LM, Xu K, Salazar AM, Goldman D, Warden DL. Fall 465–471

**Geriatric Psychiatry**
The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW. Fall 533–540
$H_2\,^{15}O$ PET study of impairment of nonverbal recognition with normal aging. Anderson KE, Lynch K, Zarahn E, Scarmeas N, Van Heertum R, Sackeim H, Moeller JR, Stern Y. Spring 192–200
Increasing memory load modulates regional brain activity in older adults as measured by fMRI. Petrella JR, Townsend BA, Jha AP, Ziajko LA, Slavin MJ, Lustig C, Hart SJ, Doraiswamy PM. Winter 75–83

**Hallucinations**
Auditory hallucinations after right temporal gyri resection. Stewart B, Brennan DM. Spring 243–245
Of illusions, hallucinations, and Creutzfeldt-Jakob disease (Heidenhain's variant) (letter). Brar HK, Vaddigiri V, Scicutella A. Winter 124–126

**Human Immunodeficiency Virus (HIV) Infection**
Apathy correlates with cognitive function but not CD4 status in patients with human immunodeficiency virus. Paul R, Flanigan TP, Tashima K, Cohen R, Lawrence J, Alt E, Tate D, Ritchie C, Hinkin C. Winter 114–118
Apathy is associated with volume of the nucleus accumbens in patients infected with HIV. Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF,

Jefferson AL, Cohen RA, Tate DF, Flanigan TP. Spring 167–171
HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191
The relationship between age and cognitive function in HIV-infected men. Kissel EC, Pukay-Martin ND, Bornstein RA. Spring 180–184

**Huntington's Disease**
A comparison of self-report and caregiver assessment of depression, apathy, and irritability in Huntington's disease. Chatterjee A, Anderson KE, Moskowitz CB, Hauser WA, Marder KS. Summer 378–383
Depression and stages of Huntington's disease. Paulsen JS, Nehl C, Hoth KF, Kanz JE, Benjamin M, Conybeare R, McDowell B, Turner B, Huntington Study Group. Fall 496–502
Huntington's disease patients show impaired perception of disgust in the gustatory and olfactory modalities. Mitchell IJ, Heims H, Neville EA, Rickards H. Winter 119–121

**Hypergraphia**
Hypergraphia for poetry in a epileptic patient (letter). Mendez MF. Fall 560–561

**Illusions**
Of illusions, hallucinations, and Creutzfeldt-Jakob disease (Heidenhain's variant) (letter). Brar HK, Vaddigiri V, Scicutella A. Winter 124–126

**Infection**
Apathy correlates with cognitive function but not CD4 status in patients with human immunodeficiency virus. Paul R, Flanigan TP, Tashima K, Cohen R, Lawrence J, Alt E, Tate D, Ritchie C, Hinkin C. Winter 114–118
Apathy is associated with volume of the nucleus accumbens in patients infected with HIV. Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF, Jefferson AL, Cohen RA, Tate DF, Flanigan TP. Spring 167–171
HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191
Obsessive-compulsive spectrum disorders in rheumatic fever patients. Mercadante MT, Diniz JB, Hounie AG, Ferrao Y, Alvarenga P, Brotto S, Miguel EC. Fall 544–547
The relationship between age and cognitive function in HIV-infected men. Kissel EC, Pukay-Martin ND, Bornstein RA. Spring 180–184

**Intracranial Hypertension**
Idiopathic intracranial hypertension presenting with psychiatric symptoms (letter). Duggal HS. Summer 426–427

**Irritability**
A comparison of self-report and caregiver assessment of depression, apathy, and irritability in Huntington's disease. Chatterjee A, Anderson KE, Moskowitz CB, Hauser WA, Marder KS. Summer 378–383

**Isoniazid**
Persisting dementia after isoniazid overdose (letter). McLay RN, Drake A, Rayner T. Spring 256–257

**Magnetic Resonance Imaging (MRI)**
Blood flow imaging of the brain: 50 years experience (windows to the brain). Black KJ, Taber KH, Hurley RA. Fall 441–446
Increasing memory load modulates regional brain activity in older adults as measured by fMRI. Petrella JR, Townsend BA, Jha AP, Ziajko LA, Slavin MJ, Lustig C, Hart SJ, Doraiswamy PM. Winter 75–83
Mild traumatic brain injury: neuroimaging of sports-related concussion (windows to the brain). Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH. Summer 297–303
Neural underpinnings of fear and its modulation: implications for anxiety disorders (windows to the brain). Miller LA, Taber KH, Gabbard GO, Hurley RA. Winter 1–6

**Magnetic Resonance Spectroscopy**
Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G. Summer 357–363

**Mania and Hypomania**
Frovatriptan-induced hypomania (letter). Wilson MS. Summer 430–431
Mood disorders and their treatment in patients with epilepsy. Prueter C, Norra C. Winter 20–28
Secondary mania following traumatic brain injury (letter). Mustafa B, Evrim Ö, Sari A. Winter 122–124

**Medical Illness or Injury**
Acute disseminated encephalomyelitis presenting as conversion disorder (letter). Abay E, Balci K, Ates I. Spring 259–260
Adjunctive valproic acid for delirium and/or agitation on a consultation-liaison service: a report of six cases. Bourgeois JA, Koike AK, Simmons JE, Telles S, Eggleston C. Spring 232–238
Apathy and pituitary disease: it has nothing to do with depression. Weitzner MA, Kanfer S, Booth-Jones M. Spring 159–166
Apathy correlates with cognitive function but not CD4 status in patients with human immunodeficiency virus. Paul R, Flanigan TP, Tashima K, Cohen R, Lawrence J, Alt E, Tate D, Ritchie C, Hinkin C. Winter 114–118
Apathy is associated with volume of the nucleus accumbens in patients infected with HIV. Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF, Jefferson AL, Cohen RA, Tate DF, Flanigan TP. Spring 167–171
Clinical assessment of Axis I psychiatric morbidity in chronic epilepsy: a multicenter investigation. Jones JE, Hermann BP, Barry JJ, Gilliam F, Kanner AM, Meadoe KJ. Spring 172–179
The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW. Fall 533–540
Cognitive impairment associated with major depression following mild and moderate traumatic brain injury. Rapoport MJ, McCullagh S, Shammi P, Feinstein A. Winter 61–65
Diagnostic criteria for postconcussional syndrome after mild to moderate traumatic brain injury. Boake C, McCauley SR, Levin HS, Pedroza C, Contant CF, Song JX, Brown SA, Goodman H, Brundage SI, Diaz-Marchan PJ. Summer 350–356
Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Fall 558–558

HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191
Hypergraphia for poetry in a epileptic patient (letter). Mendez MF. Fall 560–561
Idiopathic intracranial hypertension presenting with psychiatric symptoms (letter). Duggal HS. Summer 426–427
Of illusions, hallucinations, and Creutzfeldt-Jakob disease (Heidenhain's variant) (letter). Brar HK, Vaddigiri V, Scicutella A. Winter 124–126
Level of obsessionality among neurosurgical patients with a primary brain tumor. Mainio A, Hakko H, Niemelä A, Salo J, Koivukangas J, Räsänen P. Summer 399–404
Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G. Summer 357–363
Mild traumatic brain injury: neuroimaging of sports-related concussion (windows to the brain). Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH. Summer 297–303
Mood disorders and their treatment in patients with epilepsy. Prueter C, Norra C. Winter 20–28
The neuropsychiatry and multisystem features of the Smith-Magenis syndrome: a review. Shelley BP, Robertson MM. Winter 91–97
Obsessive-compulsive spectrum disorders in rheumatic fever patients. Mercadante MT, Diniz JB, Hounie AG, Ferrao Y, Alvarenga P, Brotto S, Miguel EC. Fall 544–547
Psychiatric manifestations of Creutzfeldt-Jakob disease: a 25-year analysis. Wall CA, Rummans TA, Aksamit A, Krahn LE, Pankratz VS. Fall 489–495
The relationship between age and cognitive function in HIV-infected men. Kissel EC, Pukay-Martin ND, Bornstein RA. Spring 180–184
Association of COMT Val[158]Met genotype with executive functioning following traumatic brain injury. Lipsky RH, Sparling MB, Ryan LM, Xu K, Salazar AM, Goldman D, Warden DL. Fall 465–471
Secondary mania following traumatic brain injury (letter). Mustafa B, Evrim Ö, Sari A. Winter 122–124
Treatment of acute ischemic stroke: does it impact neuropsychiatric outcome? Anderson CA, Arciniegas DB, Filley CM. Fall 486–488

**Memory**
Evidence for sustained attention and working memory in schizophrenia sharing a common mechanism. Silver H, Feldman P. Summer 391–398
Increasing memory load modulates regional brain activity in older adults as measured by fMRI. Petrella JR, Townsend BA, Jha AP, Ziajko LA, Slavin MJ, Lustig C, Hart SJ, Doraiswamy PM. Winter 75–83
Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G. Summer 357–363
A two-year follow-up study of remote memory in Alzheimer's disease. Starkstein SE, Boller F, Garau L. Summer 336–341

**Milnacipran**
Peripheral circulatory disturbance induced by milnacipran (letter). Kamata M, Higuchi H. Winter 126–127

**Modafinil**
Dose effects of modafinil in sustaining wakefulness in narcolepsy patients with residual evening sleepiness. Schwartz JRL, Feldman NT, Bogan RK. Summer 405–412

**Motor Functioning**
Anhedonia, depression, and motor functioning in Parkinson's disease during treatment with pramipexole. Lemke MR, Brecht HM, Koester J, Kraus PH, Reichmann H. Spring 214–220
HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191

**Multiple Sclerosis**
Magnetic resonance spectroscopy of memory and frontal brain region in early multiple sclerosis. Staffen W, Zauner H, Mair A, Kutzelnigg A, Kapeller P, Stangl H, Raffer E, Niederhofer H, Ladurner G. Summer 357–363

**Narcolepsy**
Dose effects of modafinil in sustaining wakefulness in narcolepsy patients with residual evening sleepiness. Schwartz JRL, Feldman NT, Bogan RK. Summer 405–412

**Neuropathology**
Acute disseminated encephalomyelitis presenting as conversion disorder (letter). Abay E, Balci K, Ates I. Spring 259–260
Apathy and pituitary disease: it has nothing to do with depression. Weitzner MA, Kanfer S, Booth-Jones M. Spring 159–166
Apathy is associated with volume of the nucleus accumbens in patients infected with HIV. Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF, Jefferson AL, Cohen RA, Tate DF, Flanigan TP. Spring 167–171
Auditory hallucinations after right temporal gyri resection. Stewart B, Brennan DM. Spring 243–245
Cognitive affective psychosis syndrome in a patient with sporadic olivopontocerebellar atrophy (letter). Duggal HS. Spring 260–262
Cognitive impairment associated with major depression following mild and moderate traumatic brain injury. Rapoport MJ, McCullagh S, Shammi P, Feinstein A. Winter 61–65
Deficits in social knowledge following damage to ventromedial prefrontal cortex. Mah LWY, Arnold MC, Grafman J. Winter 66–74
Huntington's disease patients show impaired perception of disgust in the gustatory and olfactory modalities. Mitchell IJ, Heims H, Neville EA, Rickards H. Winter 119–121
Of illusions, hallucinations, and Creutzfeldt-Jakob disease (Heidenhain's variant) (letter). Brar HK, Vaddigiri V, Scicutella A. Winter 124–126
Postmortem locus coeruleus neuron count in three American veterans with probable or possible war-related PTSD. Bracha HS, Garcia-Rill E, Mrak RE, Skinner R. Fall 503–509
Proteomic analysis of corticobasal degeneration: a case study of corticobasal degeneration at the proteome

level. Chen W, Ji J, Ru B. Summer 364–371
Secondary mania following traumatic brain injury (letter). Mustafa B, Evrim Ö, Sari A. Winter 122–124

**Neuropsychiatry**
Comments on "Psychopathology in Neuropsychiatry: DSM and Beyond" (commentary). Kopelman M. Summer 333–335
Idiopathic intracranial hypertension presenting with psychiatric symptoms (letter). Duggal HS. Summer 426–427
Neuropsychiatric associations of apolipoprotein E alleles in subjects with combat-related PTSD. Freeman T, Roca V, Guggenheim F, Kimbrell T, Griffin WST. Fall 541–543
Psychopathology in neuropsychiatry: DSM and beyond. Taylor MA, Vaidya NA. Spring 246–249
Whither neuropsychiatry? (editorial). Sachdev PS. Spring 140–144
Why psychiatry and neurology cannot simply merge (editorial). Pies R. Summer 304–309

**Neuropsychological Testing**
The clock drawing test: diagnostic functional and neuroimaging correlates in older medically ill adults. Sampton JB, Ferrando SJ, Sanelli P, Karimi S, Raiteri V, Barnhill JW. Fall 533–540
HIV Dementia Scale and psychomotor slowing—the best methods in screening for neuro-AIDS. von Giesen H-J, Haslinger BA, Rohe S, Köller H, Arendt G. Spring 185–191
Neuropsychological functioning in early- and late-onset obsessive-compulsive disorder. Roth RM, Milovan D, Baribeau J, O'Connor K. Spring 208–213
Risk-taking on tests sensitive to ventromedial prefrontal cortex dysfunction predicts early relapse in alcohol dependency: a pilot study. Bowden-Jones H, McPhillips M, Rogers R, Hutton S, Joyce E. Summer 417–420
Self-administered screening for mild cognitive impairment: initial validation of a computerized test battery. Tornatore JB, Hill E, Laboff JA, McGann ME. Winter 98–105
Symptom-oriented versus syndrome approaches to resolving heterogeneity of neuropsychological functioning in schizophrenia. Cohen AS, Docherty NM. Summer 384–390

**Nucleus Accumbens**
Apathy is associated with volume of the nucleus accumbens in patients infected with HIV. Paul RH, Brickman AM, Navia B, Hinkin C, Malloy PF, Jefferson AL, Cohen RA, Tate DF, Flanigan TP. Spring 167–171

**Obsessive-Compulsive Disorder (OCD)**
Level of obsessionality among neurosurgical patients with a primary brain tumor. Mainio A, Hakko H, Niemelä A, Salo J, Koivukangas J, Räsänen P. Summer 399–404
Neurological soft-signs as predictors of treatment response to selective serotonin reuptake inhibitors in OCD. Hollander E, Kaplan A, Schmeidler J, Yang H, Li D, Koran LM, Barbato LM. Fall 472–477
Neuropsychological functioning in early- and late-onset obsessive-compulsive disorder. Roth RM, Milovan D, Baribeau J, O'Connor K. Spring 208–213
Obsessive and compulsive symptoms in schizophrenia patients—from neuropsychology to clinical typology and classification (letter). Reznik I, Kotler M, Weizman A. Spring 254–255
Obsessive-compulsive spectrum disorders in rheumatic fever patients. Mercadante MT, Diniz JB, Hounie AG, Ferrao Y, Alvarenga P, Brotto S, Miguel EC. Fall 544–547

**Olanzapine**
The use of olanzapine in the treatment of negative symptoms in Alzheimer's disease. Rankin ED, Layne RD. Summer 423–424

**Oxidative Stress**
Oxidative stress during treatment with first- and second-generation antipsychotics. Kropp S, Kern V, Lange K, Degner D, Hajak G, Kornhuber J, Rüther E, Emrich HM, Schneider U, Bleich S. Spring 227–231

**Parkinson's Disease/Parkinsonism**
Anhedonia, depression, and motor functioning in Parkinson's disease during treatment with pramipexole. Lemke MR, Brecht HM, Koester J, Kraus PH, Reichmann H. Spring 214–220
Anxiety-induced tremors in a 13½-year-old female with idiopathic Parkinson's disease (letter). Dattilio FM. Spring 257–259
Aripiprazole in psychosis associated with Parkinson's disease; López-Meza E, Ruiz-Chow A, Ramirez-Bermudez J. Summer 421–422
Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Fall 558–558
Prevalence and treatment of depression in Parkinson's disease. Veazey C, Aki SOE, Cook KF, Lai EC, Kunik ME. Summer 310–323

**Pediatric Psychiatry**
Anxiety-induced tremors in a 13½-year-old female with idiopathic Parkinson's disease (letter). Dattilio FM. Spring 257–259
Intellectual functioning in adolescents with indicators of psychosis: evidence for decline in functioning related to number of psychotic features? Bilginer L, DeLuca V, Pogge DL, Stokes JS, Harvey PD. Winter 106–113
The neuropsychiatry and multisystem features of the Smith-Magenis syndrome: a review. Shelley BP, Robertson MM. Winter 91–97
The Overt Aggression Scale for rating aggression in outpatient youth with autistic disorder: preliminary findings. Hellings JA, Nickel EJ, Weckbaugh M, McCarter K, Mosier M, Schroeder SR. Winter 29–35

**Perception**
Huntington's disease patients show impaired perception of disgust in the gustatory and olfactory modalities. Mitchell IJ, Heims H, Neville EA, Rickards H. Winter 119–121

**Personality**
Worsening of borderline symptoms under reboxetine treatment (letter). Anghelescu I, Janen B, Schindler F, Lammers C-H. Fall 559–560

**Pituitary Disease**
Apathy and pituitary disease: it has nothing to do with depression. Weitzner MA, Kanfer S, Booth-Jones M. Spring 159–166

**Positron Emission Tomography (PET)**
Blood flow imaging of the brain: 50 years experience (windows to the

brain). Black KJ, Taber KH, Hurley RA. Fall 441–446
$H_2$ $^{15}O$ PET study of impairment of nonverbal recognition with normal aging. Anderson KE, Lynch K, Zarahn E, Scarmeas N, Van Heertum R, Sackeim H, Moeller JR, Stern Y. Spring 192–200
Neural underpinnings of fear and its modulation: implications for anxiety disorders (windows to the brain). Miller LA, Taber KH, Gabbard GO, Hurley RA. Winter 1–6
Toward a biology of psychotherapy: basic science and clinical applications. Etkin A, Pittenger C, Polan HJ, Kandel ER. Spring 145–158

**Postconcussional Syndrome**
Diagnostic criteria for postconcussional syndrome after mild to moderate traumatic brain injury. Boake C, McCauley SR, Levin HS, Pedroza C, Contant CF, Song JX, Brown SA, Goodman H, Brundage SI, Diaz-Marchan PJ. Summer 350–356
Mild traumatic brain injury: neuroimaging of sports-related concussion (windows to the brain). Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH. Summer 297–303

**Posttraumatic Stress Disorder (PTSD)**
High resolution brain SPECT imaging and EMDR in police officers with PTSD. Lansing K, Amen DG, Hanks C, Rudy L. Fall 526–532
Neuropsychiatric associations of apolipoprotein E alleles in subjects with combat-related PTSD. Freeman T, Roca V, Guggenheim F, Kimbrell T, Griffin WST. Fall 541–543
Postmortem locus coeruleus neuron count in three American veterans with probable or possible war-related PTSD. Bracha HS, Garcia-Rill E, Mrak RE, Skinner R. Fall 503–509

**Pramipexole**
Anhedonia, depression, and motor functioning in Parkinson's disease during treatment with pramipexole. Lemke MR, Brecht HM, Koester J, Kraus PH, Reichmann H. Spring 214–220

**Prolactin**
Tardive dyskinesia predicts prolactin response to buspirone challenge in people with schizophrenia. Shim J-C, Kim Y-H, Kelly DL, Lee J-G, Conley RR. Spring 221–226

**Psychosis.** *See also* **Schizophrenia**
Aripiprazole in psychosis associated with Parkinson's disease; López-Meza E, Ruiz-Chow A, Ramirez-Bermudez J. Summer 421–422
Cognitive affective psychosis syndrome in a patient with sporadic olivopontocerebellar atrophy (letter). Duggal HS. Spring 260–262
Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Fall 558–558
Of illusions, hallucinations, and Creutzfeldt-Jakob disease (Heidenhain's variant) (letter). Brar HK, Vaddigiri V, Scicutella A. Winter 124–126
Intellectual functioning in adolescents with indicators of psychosis: evidence for decline in functioning related to number of psychotic features? Bilginer L, DeLuca V, Pogge DL, Stokes JS, Harvey PD. Winter 106–113
Low-dose-trazodone–induced disorganized type psychosis (letter). Mizoguchi Y, Monji A. Spring 253–254

**Psychotherapy**
Prevalence and treatment of depression in Parkinson's disease. Veazey C, Aki SOE, Cook KF, Lai EC, Kunik ME. Summer 310–323
Toward a biology of psychotherapy: basic science and clinical applications. Etkin A, Pittenger C, Polan HJ, Kandel ER. Spring 145–158

**Reboxetine**
Worsening of borderline symptoms under reboxetine treatment (letter). Anghelescu I, Janen B, Schindler F, Lammers C-H. Fall 559–560

**Schizophrenia.** *See also* **Psychosis**
Behavioral and electrophysiological indices of temporal processing dysfunction in schizophrenia. Davalos DB, Kisley MA, Freedman R. Fall 517–525
Evidence for sustained attention and working memory in schizophrenia sharing a common mechanism. Silver H, Feldman P. Summer 391–398
Obsessive and compulsive symptoms in schizophrenia patients—from neuropsychology to clinical typology and classification (letter). Reznik I, Kotler M, Weizman A. Spring 254–255
Relation between estradiol and negative symptoms in men with schizophrenia. Kaneda Y, Ohmori T. Spring 239–242
Relative sparing of executive functions in the early phase of schizophrenia. Atbasoglu ECEM, Ozguven HD, Saka MC, Olmez S. Fall 510–516
Symptom-oriented versus syndrome approaches to resolving heterogeneity of neuropsychological functioning in schizophrenia. Cohen AS, Docherty NM. Summer 384–390
Tardive dyskinesia predicts prolactin response to buspirone challenge in people with schizophrenia. Shim J-C, Kim Y-H, Kelly DL, Lee J-G, Conley RR. Spring 221–226

**Selective Serotonin Reuptake Inhibitors**
Neurological soft-signs as predictors of treatment response to selective serotonin reuptake inhibitors in OCD. Hollander E, Kaplan A, Schmeidler J, Yang H, Li D, Koran LM, Barbato LM. Fall 472–477

**Sensory Impairments**
Huntington's disease patients show impaired perception of disgust in the gustatory and olfactory modalities. Mitchell IJ, Heims H, Neville EA, Rickards H. Winter 119–121

**Single Photon Emission Computed Tomography (SPECT)**
Blood flow imaging of the brain: 50 years experience (windows to the brain). Black KJ, Taber KH, Hurley RA. Fall 441–446
High resolution brain SPECT imaging and EMDR in police officers with PTSD. Lansing K, Amen DG, Hanks C, Rudy L. Fall 526–532
Neuropsychological functioning in early- and late-onset obsessive-compulsive disorder. Roth RM, Milovan D, Baribeau J, O'Connor K. Spring 208–213

**Sleep Disorders**
Dose effects of modafinil in sustaining wakefulness in narcolepsy patients with residual evening sleepiness. Schwartz JRL, Feldman NT, Bogan RK. Summer 405–412

**Smith-Magenis Syndrome**
The neuropsychiatry and multisystem features of the Smith-Magenis syndrome: a review. Shelley BP, Robertson MM. Winter 91–97

**Social Intelligence**
Deficits in social knowledge following damage to ventromedial prefrontal

cortex. Mah LWY, Arnold MC, Grafman J. Winter 66–74

**Stroke**

Treatment of acute ischemic stroke: does it impact neuropsychiatric outcome? Anderson CA, Arciniegas DB, Filley CM. Fall 486–488

**Substance Use Disorders**

Risk-taking on tests sensitive to ventromedial prefrontal cortex dysfunction predicts early relapse in alcohol dependency: a pilot study. Bowden-Jones H, McPhillips M, Rogers R, Hutton S, Joyce E. Summer 417–420

**Surgery**

Intravenous valproate use in bipolar II disorder after gastric bypass surgery (letter). Semion K, Dorsey J, Bourgeois J. Summer 427–429

Level of obsessionality among neurosurgical patients with a primary brain tumor. Mainio A, Hakko H, Niemelä A, Salo J, Koivukangas J, Räsänen P. Summer 399–404

Long-term outcome of neurosurgery for the treatment of resistant depression. Sachdev PS, Sachdev J. Fall 478–485

**Symptomatology**

Auditory hallucinations after right temporal gyri resection. Stewart B, Brennan DM. Spring 243–245

Bilateral exophthalmos and depression: not always endocrine ophthalmopathy (letter). Anghelescu I, Müller-Forell W. Summer 427

A comparison of self-report and caregiver assessment of depression, apathy, and irritability in Huntington's disease. Chatterjee A, Anderson KE, Moskowitz CB, Hauser WA, Marder KS. Summer 378–383

Idiopathic intracranial hypertension presenting with psychiatric symptoms (letter). Duggal HS. Summer 426–427

Moria and Witzelsücht from frontotemporal dementia (letter). Mendez MF. Summer 429–430

Obsessive and compulsive symptoms in schizophrenia patients—from neuropsychology to clinical typology and classification (letter). Reznik I, Kotler M, Weizman A. Spring 254–255

Prevalence of apathy, dysphoria, and depression in relation to dementia severity in Alzheimer's disease. Landes AM, Sperry SD, Strauss ME. Summer 342–349

Relation between estradiol and negative symptoms in men with schizophrenia. Kaneda Y, Ohmori T. Spring 239–242

Symptom-oriented versus syndrome approaches to resolving heterogeneity of neuropsychological functioning in schizophrenia. Cohen AS, Docherty NM. Summer 384–390

The use of olanzapine in the treatment of negative symptoms in Alzheimer's disease. Rankin ED, Layne RD. Summer 423–424

**Tardive Dyskinesia**

Tardive dyskinesia after long-term veralipride treatment (letter). Raja M, Azzoni A. Spring 252–253

Tardive dyskinesia predicts prolactin response to buspirone challenge in people with schizophrenia. Shim J-C, Kim Y-H, Kelly DL, Lee J-G, Conley RR. Spring 221–226

**Temporal Lobe**

Auditory hallucinations after right temporal gyri resection. Stewart B, Brennan DM. Spring 243–245

Behavioral and electrophysiological indices of temporal processing dysfunction in schizophrenia. Davalos DB, Kisley MA, Freedman R. Fall 517–525

**Testosterone**

Administration of testosterone increases functional connectivity in a corticocortical depression circuit. Schutter DJLG, Peper JS, Koppeschaar HPF, Kahn RS, van Honk J. Summer 372–377

**Tiagabine**

Tiagabine for rage, aggression, and anxiety (letter). Hoffman DA. Spring 252

**Tourette's Syndrome**

Assessment of scientific and ethical issues in two randomized clinical trial designs for patients with Tourette's syndrome: a model for studies of multiple neuropsychiatric diagnoses. Gilbert DL, Buncher CR. Summer 324–332

**Traumatic Brain Injury (TBI)**

Cognitive impairment associated with major depression following mild and moderate traumatic brain injury. Rapoport MJ, McCullagh S, Shammi P, Feinstein A. Winter 61–65

Diagnostic criteria for postconcussional syndrome after mild to moderate traumatic brain injury. Boake C, McCauley SR, Levin HS, Pedroza C, Contant CF, Song JX, Brown SA, Goodman H, Brundage SI, Diaz-Marchan PJ. Summer 350–356

Mild traumatic brain injury: neuroimaging of sports-related concussion (windows to the brain). Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH. Summer 297–303

Association of COMT Val[158]Met genotype with executive functioning following traumatic brain injury. Lipsky RH, Sparling MB, Ryan LM, Xu K, Salazar AM, Goldman D, Warden DL. Fall 465–471

Secondary mania following traumatic brain injury (letter). Mustafa B, Evrim Ö, Sari A. Winter 122–124

**Trazodone**

Low-dose-trazodone–induced disorganized type psychosis (letter). Mizoguchi Y, Monji A. Spring 253–254

**Tremor**

Anxiety-induced tremors in a 13½-year-old female with idiopathic Parkinson's disease (letter). Dattilio FM. Spring 257–259

**Valproate**

Adjunctive valproic acid for delirium and/or agitation on a consultation-liaison service: a report of six cases. Bourgeois JA, Koike AK, Simmons JE, Telles S, Eggleston C. Spring 232–238

Intravenous valproate use in bipolar II disorder after gastric bypass surgery (letter). Semion K, Dorsey J, Bourgeois J. Summer 427–429

**Veralipride**

Tardive dyskinesia after long-term veralipride treatment (letter). Raja M, Azzoni A. Spring 252–253

**Violence.** *See* **Aggression and Agitation**

**Windows to the Brain**

Blood flow imaging of the brain: 50 years experience. Black KJ, Taber KH, Hurley RA. Fall 441–446

Mild traumatic brain injury: neuroimaging of sports-related concussion. Mendez CV, Hurley RA, Lassonde M, Zhang L, Taber KH. Summer 297–303

Neural underpinnings of fear and its modulation: implications for anxiety disorders. Miller LA, Taber KH, Gabbard GO, Hurley RA. Winter 1–6

Rabies and the cerebellum: new methods for tracing circuits in the brain. Taber KH, Strick PL, Hurley RA. Spring 133–138